

Exploring age-related changes in inter-brain synchrony during verbal communication

Suzanne Dikker ^{1,2}, Emily N. Mech ³, Laura Gwilliams ⁴, Tessa West ¹,
Guillaume Dumas ^{5,6}, Kara D. Federmeier ^{3,7}

¹ Department of Psychology, New York University

² Department of Clinical Psychology, VU Amsterdam

³ Department of Psychology, University of Illinois at Urbana-Champaign

⁴ Department of Neurosurgery, University of California, San Francisco

⁵ CHU Sainte-Justine Research Center, Department of Psychiatry

⁶ Mila - Quebec Artificial Intelligence Institute, Université de Montréal

⁷ Beckman Institute for Advanced Science and Technology, University of Illinois at
Urbana-Champaign

Correspondence: suzanne.dikker@nyu.edu

Acknowledgements

The research reported in this paper was supported by grants from the National Science Foundation (#1344285 and #1661016), the National Institute of Aging (NIA-AG026308), the Netherlands Organisation for Scientific Research (#275-89-018 and #406.18.GO.024), the Institute for Data Valorization (IVADO; CF00137433), Montreal, and the Fonds de recherche du Québec (FRQ; 285289).

Abstract

Successful communication is key to health in older age. This is true in the narrow sense of being able to gain critical information e.g., from health care providers, but also more broadly in being able to maintain social ties and pursue meaningful activities, which, in turn, are central to maintaining health and well-being. Compared to younger adults, older adults show both quantitative and qualitative changes in how information is processed and used over time to achieve comprehension. Such systematic age-related neural *dissimilarities* in processing dynamics and strategies raise fundamental questions about how the human brain supports cross-generational communication, especially in light of accumulating evidence linking interpersonal similarities in brain responses to communicative success. Yet despite its prevalence and tangible health-related importance, naturalistic intergenerational communication involving older adults is understudied. In this paper, we lay out why filling this research gap is critical in advancing our understanding of naturalistic communication, with implications for both science and practice.

Introduction

Generational divides are front and center in public discourse. For example, older adults are often accused of being dismissive of young adults, resulting in various forms of pushbacks, ranging from protests to “OK Boomer” memes. Such intergenerational clashes, whether overblown or not, are widely studied from a social science perspective and are typically attributed to socio-cultural gaps (Beheshti, 2018). Less explored is whether and how neurophysiological factors may also contribute to intergenerational (mis)alignment; that is: whether and how age-related changes in processing dynamics can result in intergenerational communication pattern differences — ranging from speech rate to discourse-level comprehension — that may impede positive communicative outcomes.

The disconnect that can arise from differing communication patterns between interlocutors (of any age) is often highlighted in pop culture. For example, the Disney Pixar film *Zootopia* features a scene where the main character, a bunny police officer, pays a visit to the Zootopia DMV - operated by sloths (www.youtube.com/watch?v=HHKwnUa3txo). The scene comically illustrates how vast interpersonal differences in speech rates can lead to excruciating conversational breakdowns, demonstrating that successful communication goes

beyond comprehending words and sentences: It involves the ability to adapt to and align with the language source at all levels of linguistic representation. Needless to say, interspecies conversations in a Disney movie are not representative of real-world human communication. But, albeit less dramatic, both quantitative (e.g., *when*, and *to what extent* are processes engaged) and qualitative (e.g., *what* processes are engaged) changes in language comprehension and production dynamics as a function of age have indeed been widely documented. Yet, few researchers to date have asked if these and other neuropsychological changes may have cascading implications for intergenerational communication outcomes.

This is a topic of high importance because communication skills are key to a happy and healthy life across the lifespan. For example, preschoolers who start to talk earlier have fewer tantrums (Manning et al., 2019), aggression in school-age children is linked to verbal reasoning skills (Kikas et al., 2009), and linguistic abilities are predictive of professional success (e.g., McCluney et al., 2021; Piopiunik et al., 2020). The most direct links between communication and health are found in healthcare settings themselves, where health outcomes have long been attributed not only to patient communication skills and health literacy (Berkman et al., 2011; Martin et al., 2011; Nutbeam, 2000; Rosenfeld et al., 2011) but also to effective patient-physician communication (Stewart, 1995). Contextual factors that affect linguistic communication, such as how familiar conversational partners are with one other, have also been shown to directly affect health-related decision making. For example, primary care providers, with whom patients have an established relationship, have been more successful than other medical professionals at helping combat vaccine hesitancy during the covid-19 pandemic (Ratzan et al., 2021), and improving communication in pediatric settings is critical in helping caregivers of children with autism spectrum disorder navigate treatment options (Evans, 2021; Levy et al., 2016). These examples underscore the importance of linguistic communication skills that allow people of all ages to flexibly adapt (or *accommodate*) to a wide range of conversational contexts, in familiar and unfamiliar settings, and involving both familiar and unfamiliar conversational partners of similar or different ages (Giles et al., 1991b).

A better understanding of the neurobiological basis of conversations, and particularly the relationship between dyadic conversational coordination (also termed *alignment*; Pickering & Garrod, 2004) and communicative outcomes that may directly impact health-related outcomes, is arguably especially vital in the context of (intergenerational) interactions

involving older adults. Older adults tend to have more regular encounters with healthcare professionals (Carr-Hill et al., 1996), making them more likely than young and middle-aged adults to be confronted with intergenerational communicative contexts for which the outcomes may have consequences for their physical health. At the same time, older adults are often reported to differ from young adults in terms of the frequency, variation, and quality of daily social interactions (Zhaoyang et al., 2018), and it has been argued that social isolation during the covid-19 pandemic has disproportionately affected older adults (Dahlberg, 2021; National Academies of Sciences, Engineering, and Medicine et al., 2020). It is important to note that research does not unequivocally point to communicative deficits in healthy older adults (e.g., Mesik et al., 2021). Still, older adults are generally more likely to find themselves interacting with younger people who may be processing language differently. Yet, as already alluded to above, prior work has largely left unexplored whether alignment is more challenging in the context of intergenerational communication, as might be suggested by well-documented age-related changes in language processing, which are discussed in more detail below.

What's more, although there exists a rich sociolinguistic literature on conversational intergenerational accommodation (Williams & Nussbaum, 2013), neuroscientists have only just begun addressing these and related questions in naturalistic dyadic contexts (see below). This knowledge gap stems from a combination of practical and historical factors. For example, most laboratory human neuroscience research is conducted on a homogeneous convenience sample of university students (Sears, 1986), which naturally leads to the undersampling of older adults in studies ranging from laboratory psychology to clinical trials (van Marum, 2020). Additionally, neurolinguistics research is heavily skewed toward studying participants who are alone in a lab and asked to comprehend experimental stimuli that are 'isolated' – well-controlled and limited to the phrase, word, or even syllable level, intentionally devoid of discourse context. This work has indisputably led to tremendous insights into the neurobiology of human language (e.g., Hickok & Small, 2015). But this fairly in-depth mechanistic understanding of how the human brain derives meaning through the (de)composition of linguistic units (Pylkkänen, 2019) has yet to be comprehensively linked back to what humans tend to use language for on a daily basis: to communicate and negotiate this meaning with others.

In what follows, we first discuss how recent methodological advances can be leveraged to better understand not only naturalistic linguistic comprehension, but also dyadic (and group) interactions. Then, we will discuss possible linking hypotheses between what is known about age-related changes in how the human brain supports language, and neural and communicative outcomes during real-world dynamic social interactions.

Studying naturalistic dyadic interactions

The interactive turn: hyperscanning

As discussed above, (social) neuroscientists have mostly studied individuals responding to pictures or movies of people rather than live human interactions. However, some neurophysiological correlates of social cognition are only observed when there is true social interaction (Tognoli et al., 2007). It is thus unclear to what extent the neurobiological markers of social behavior can be reliably probed in the *absence* of real-time, naturalistic reciprocal social interaction (Matusz et al., 2019; Schilbach et al., 2013). To create more naturalistic study conditions, researchers are increasingly comparing brain activity *between* participants instead of using a stimulus-brain approach (Babiloni & Astolfi, 2014; Dumas et al., 2011; Hari et al., 2013; Hasson et al., 2004, 2012; Sanger et al., 2011). In addition to comparing neural responses across people in data collected asynchronously (e.g., in fMRI research; Parkinson et al., 2018; Stephens et al., 2010; Dikker et al., 2014; Vodrahalli et al., 2018), social neuroscientists have leveraged technological advances that now make it possible to record neurophysiological data from multiple people simultaneously (so-called “hyperscanning”; Montague et al., 2002), which has led to a rich and exponentially growing field of research exploring the relationship between social factors and *inter-brain coupling*, or similarities in brain responses across people.

Quantifying inter-brain coupling

Inter-brain coupling, like intra-brain coupling, can be quantified in various ways (for an overview, see Ayrolles et al., 2021). Reasons to choose one metric over another can be purely computational in nature. For instance, some metrics are more likely to result in spurious correlations (Burgess, 2013) or to require the stationarity of the signals (Ayrolles et

al., 2021). More broadly, recent work has suggested that inter-brain measures can capture behavior and communication outcomes (such as memory) better than intra-brain measures in certain cases, also most likely because of computational reasons such as signal-to-noise ratio (Balconi et al., 2017; Ben-Yakov et al., 2012; Davidesco et al., 2019; Dumas et al., 2012; Hasson et al., 2008; Pan et al., 2020; Simony et al., 2016).

Recently, our group and others have also illustrated how different metrics may correspond to different psychobiological processes (Dumas & Fairhurst, 2021; Dikker et al., 2021). For example, some metrics capture instantaneous, time-locked, inter-brain coupling between dyads while others do not, and one might argue that non-instantaneous inter-brain coupling is less likely to arise from purely stimulus-related factors and thus be more likely to stem from socially-relevant factors. Granger Causality and time-shifting approaches are used to address questions related to the directionality of mutual influence between dyads (Leong et al., 2017). Given inherent delays between speakers and listeners, such directional approaches have been employed in particular in inter-brain coupling between speakers and listeners (Davidesco et al., 2019; Dikker et al., 2014; Liu et al., 2017; Stephens et al., 2010).

Crucially, these metrics are not mutually exclusive and can be combined to arrive at a more comprehensive understanding of conversational dynamics. But much remains to be investigated on this front: There is currently no consensus in the field with respect to which metric is most appropriate in which context (Ayrolles et al., 2021), and different approaches can lead to different results in the same dataset (Chen, et al., 2021b; Nozawa et al., 2016).

Inter-brain coupling during dynamic social interactions

As summarized in Figure 1, in the decade or so since the emergence of hyperscanning, many factors have been found to predict *inter-brain coupling*, across dyads or groups: Listening to or watching the same stimulus (Bevilacqua et al., 2019; Dikker et al., 2017; Hasson et al., 2004; Nummenmaa et al., 2012; Parkinson et al., 2018); social coordination, like conversation or joint action (Dikker et al., 2014, 2021; Dumas et al., 2010; Konvalinka et al., 2014; Pérez et al., 2017, 2018; Stephens et al., 2010); and social intentions, like cooperation vs. competition (Astolfi et al., 2010; Babiloni et al., 2007; Cui et al., 2012; Czeszumski et al., 2021).




Figure 1. A summary of possible sources of inter-brain coupling during social interaction in dyadic interaction (adapted from Dikker et al., 2021). External non-social stimuli (top) and social behavior (bottom) provide exogenous sources of shared stimulus entrainment and interpersonal social coordination, respectively, leading to similar brain responses, i.e., inter-brain coupling. Social closeness and personality traits (e.g., affective empathy) both affect social engagement during the interaction, and thus the extent to which dyads' brain responses become synchronized. Each individual's mental state (e.g., focus) similarly affects their engagement with each other, intrinsically (endogenously) motivating participants to make an effort to connect to each other. Individual variation in 'neural profiles' (basic oscillatory frequencies etc.) may also predict baseline (dis)similarities in inter-brain coupling.

Crucially, individual differences and contextual factors may mediate these factors (Bevilacqua et al., 2019; Dikker et al., 2017; Dumas et al., 2012; Goldstein et al., 2018a; Lee et al., 2017; Petroni et al., 2017). For example, personality traits and (social) engagement are linked to inter-brain coupling (Bevilacqua et al., 2019; Cohen et al., 2017; Czeszumski et al., 2020; Dikker et al., 2017; Goldstein et al., 2018b; Ki et al., 2016; Petroni et al., 2017), as are the nature and quality of the dyadic relationship. Social closeness has been shown to affect inter-brain coupling in a number of studies, even within groups or dyads who know each other well (Bevilacqua et al., 2019; Dikker et al., 2017; Dikker et al., 2021; Parkinson et al., 2018), and some researchers report categorical differences in inter-brain coupling as a function of the nature of the relationship. For example, a recent fNIRS study (Long et al., 2021) found that romantic couples, but not friends, showed greater inter-brain coupling when discussing contentious over neutral topics. Another recent EEG hyperscanning study found that neurobehavioral coupling in dyads was affected by both their relationship (romantic

couples, good friends, and strangers) and the ongoing social tasks (motor coordination, empathy giving; Djalovski et al., 2021). Moreover, results revealed an interaction between those two factors, suggesting that the effects of human attachment on neurobehavioral coupling stem from a number of inter-dependent sources.

With respect to behavioral and communicative outcomes, the inter-brain coupling has been linked to better team performance (Reinero et al., 2021), successful comprehension (Stephens et al., 2010), memory retention (Hasson et al., 2008), and learning (Davidesco et al., 2019; Pan et al., 2020). The neurobehavioral coupling has also been shown to predict therapeutic alliance (Duggento et al., 2021; Ellingsen et al., 2020; Koole et al., 2020; Koole & Tschacher, 2016; Ramseyer & Tschacher, 2011), which has led some researchers to develop synchrony-based interventions such as hyperscanning neurofeedback (Chen, et al., 2021a; Dikker et al., 2021; Duan et al., 2013; Moreau & Dumas, 2021; Müller et al., 2021; Pan & Cheng, 2020).

Hyperscanning linguistic interactions

The emergence of inter-subject correlation approaches has contributed to a transition, for some researchers, from 'traditional' event-related laboratory neuroimaging research to naturalistic designs (Hasson et al., 2004). In fMRI research, much of the work has focused on narrative comprehension, where similarities across individuals listening to or watching the same narratives are correlated with features of the narrative structure (Nastase et al., 2021), recall (Hasson et al., 2008), or with individual differences in personality traits (Nummenmaa et al., 2012) or narrative interpretation (Sievers et al., 2020). Hyperscanning research, in contrast, directly probes interpersonal social interaction, and most studies involve some form of verbal communication (Czeszumski et al., 2021). However, very few have directly investigated the linguistic characteristics of the communicative exchange. In a typical study, for example, participants are assigned to either a collaborative or competitive task, and then the average inter-brain coupling across each of these interactions is compared, without much attention to the internal structure of the communication.

Intergenerational verbal interactions

Hyperscanning research has mostly involved intragenerational dyads, but there is also a growing body of work on intergenerational social interactions. Most, if not all, of these studies

are geared toward understanding developmental questions, examining adult-child dyads where the adult is either a parent (Endevelt-Shapira et al., 2021; Lee et al., 2017; Leong et al., 2017; Nguyen et al., 2021a; Nguyen et al., 2021b; Wass et al., 2018), or a teacher (Bevilacqua et al., 2019; Davidesco et al., 2019, 2021; Dikker et al., 2017). This work has linked inter-brain coupling to the quality and nature of adult-child social interactions (Bevilacqua et al., 2019; Dikker et al., 2017; Jones et al., 2017; Nguyen et al., 2021a; Nguyen et al., 2021b; Wass et al., 2018). In educational contexts, our work and that of others have shown that the teacher-student relationship affects inter-brain coupling as well as learning outcomes (Bevilacqua et al., 2019; Davidesco et al., 2019, 2021).

In sum, there has been an exponential growth in hyperscanning research over the past 5 years, and while many details still have to be hashed out, evidence is accumulating that inter-brain coupling is a correlate of successful communication for both intra- and intergenerational dyadic interactions. Yet, to our knowledge, no research to date has investigated inter-brain and inter-body coupling during dyadic interactions involving older adults, at either the intra- or inter-generational level. This is a striking gap given that questions about the interplay between language skills, communicative outcomes, social context, and familiarity are especially important for this age group. As a result, many questions about the neurobiology of successful communication in older adults remain unanswered.

Factors that may influence inter-brain coupling during linguistic exchanges with older adults

Laboratory work has identified a number of important ways that language processing changes across adulthood. At the level of broad outcomes, language remains well-preserved in older age. Different from patterns seen for executive function and memory, in the absence of vision or hearing impairment, older adults generally self-report little difficulty using language in many everyday situations, such as having conversations or reading books or newspapers (reviewed in Light & Burke, 1993). This is due in part to the fact that linguistic knowledge is well-preserved or even augmented with increasing age (Burns, 1993) and that language relies on well-practiced procedures responsible for the production and appreciation of syntax, prosodic forms, and basic aspects of word meaning (Kempler, 2005; Wingfield &

Stine-Morrow, 2000). However, research into language processing mechanisms has shown that these outcomes are achieved in the face of notable age-related changes in the underlying processing dynamics. Strikingly, the implications of these changes for how and how successfully older adults communicate have rarely been considered even in a laboratory context, let alone in the context of more naturalistic exchanges. Below, we discuss a non-exhaustive set of examples wherein aging may affect aspects of language processing that are important for accommodation, alignment, and inter-brain coupling. We will use the term “coupling” to refer to dyadic similarities in neurophysiological responses, “alignment” to refer to dyadic coordination patterns in speech and language, and “accommodation” to refer to the (sub)conscious adjustment between speakers (or between a comprehender and the message) to improve alignment, which we hypothesize is related to coupling.

Changes in neural profiles

Aging has widespread effects on brain systems that support cognitive functioning ([Cabeza et al. 2016](#); [Bethlehem et al. 2022](#)) including changes in white matter that affect the speed and strength of neural communication between areas (Head et al., 2004; Sullivan & Pfefferbaum, 2006), which can lead to qualitative shifts in the recruitment of brain areas (see review by Diaz et al., 2016). Age-related changes further have various implications for the temporal and rhythmic properties of neural responses, both in the presence and absence of audiovisual stimuli.

Age-related changes in the time course of response to external stimuli can begin early in processing. For example, studies have reported that older adults show less precision in neural responses to syllables (Anderson et al., 2012), and Federmeier et al. (2003) found age-related delays in sensory-evoked responses to sentence-initial auditory words: Frontal N1 responses were delayed by about 15 ms and P2 responses by about 25 ms in a group of healthy older adults compared to college-aged adults. These timing shifts, however, may be context-dependent. Woodward et al. (1993) did not observe age-related delays on the N1 (although they did find P2 delays) to sentence-final words, which have more contextual support. Later aspects of processing often show even more dramatic age-related timing differences. For example, the N400, an ERP component linked to semantic access (see Federmeier, 2022), shows a gradual increase in latency of about 1.5-2 ms per year from age 20 to age 80 (Kutas & Iragui, 1998), such that delays of >50 ms are not uncommon when

comparing college-aged adults to samples over age 55. At the same time, however, age-related timing differences are not always maintained over the course of processing, even for a single word, as the sensory delays observed in Federmeier et al. (2003) were not accompanied by delays in the subsequent (auditory) N400 response. Such patterns emphasize that similarity in timing at one point of measurement (e.g., a behavioral response) can mask dissimilarity in the timing of earlier processes which, in turn, likely herald differences in the nature or quality of the information that is being processed. More generally, findings like these highlight that the impact of aging on the timing of neural responses is complex, varying with modality and context among other factors, and needs to be studied across different conditions in order for its impact on alignment and coupling to be understood.

Older adults also exhibit shifts in cerebral oscillatory patterns. Such resting-state biological rhythms have been linked to social behavior in a meaningful way. For example, similarities in resting-state fMRI activity between children and their caregivers are predictive of their relationship (Lee et al., 2017) and real-life school friends show greater neuroanatomic similarity (D’Onofrio et al., 2021). Figure 2 illustrates a few ways in which individual differences in biological rhythms may affect dyadic inter-brain coupling (“sync”) in both quantitative (Figure 2b) and qualitative ways (Figure 2c).

Figure 2b illustrates how age-related oscillatory shifts thus could lead to ‘interpersonal’ drifts. Preliminary evidence from our group suggests that such age-related differences in inter-brain coupling can indeed be detected. In a large-scale study on naturalistic dyadic face-to-face interactions collected from pairs of the museum and festival visitors across different sites and countries (Dikker et al., 2021), we found site-specific differences with respect to the frequency range where inter-brain coupling predicted interaction-related features. For example, as shown in Figure 3, inter-brain coupling was correlated with relationship duration at 10-11 Hz for participants at a 3-day music festival in the Netherlands, whereas this correlation was significant at ~ 8 Hz for visitors of an art museum in Athens, Greece. One possible explanation could lie in age differences between the two groups: Alpha peak frequency is typically lower for older than for younger adults (e.g., Duffy et al., 1993; Tröndle et al., 2021), and the music festival is known to attract a younger demographic than the art museum.




Figure 2. Individual differences in neural profiles may lead to different inter-brain coupling patterns. **A.** Similarities in endogenous oscillatory patterns within a dyad lead to high inter-brain coupling (“high sync”). **B.** (Slight) individual discrepancies in peak frequency of oscillatory patterns (e.g., age-related alpha peak frequency changes) will lead to interpersonal drift and, consequently, a decrease in inter-brain coupling over time (“decreasing sync”). **C.** Non-systematic differences between the neural profiles of dyads will lead to low, or irregular inter-brain coupling (“low/irregular sync”).

Figure 2c illustrates a more “messy” scenario, where idiosyncratic neural profiles lead to inconsistent dyadic inter-brain coupling patterns over time. Such patterns may result from either a single qualitative difference or from an accumulation of neurobehavioral factors. Autism, for example, has been associated with idiosyncratic distortions of resting-state neural patterns (Hahamy et al., 2015), and inter-brain coupling is shown to be modulated by the severity of autistic symptoms (Wang et al., 2020). The “misattunement hypothesis” attributes autism-related alterations in social cognition not to a single mechanism but rather to an interpersonal mismatch in neurobehavioral patterns that stem from a complex interplay of factors at multiple levels of description (Bolis et al., 2017).




Figure 3. Correlations between inter-brain coupling and relationship duration by age group. During face-to-face communication, the frequency at which inter-brain coupling was correlated with relationship duration was lower for museum visitors in Athens (blue line; 7-8 Hz; $r(302) = 0.1776$; $p = 0.0019$), an older demographic than music festival visitors in the Netherlands (dashed line; 9-10 Hz: $r(56) = 0.3107$, $p = 0.0198$).

Deriving meaning

Lexico-semantic processing

We know the most about age-related changes in language processing from studies that have focused on processing outside of a social/conversational context and that have often used single words or isolated sentences. This body of work has shown that the structure of the language network remains fairly stable across age. Older adults generally match or outperform education-matched younger adults on vocabulary measures (Salthouse, 1993), produce similar patterns of semantic associations (Burke & Peters, 1986), and show similar effects of orthographic neighborhood size (Payne & Federmeier, 2018). However, older adults differ in the dynamics with which activation levels are adjusted in that stable network during online processing. This can be seen even at the single word level, as, for example, in alterations in repetition and semantic priming effects on the N400 (Jongman & Federmeier, 2022; Kutas & Iragui, 1998). More notable changes are attested for sentence comprehension, especially when successful comprehension requires the effective deployment of cognitive control mechanisms to maintain, select, or revise incoming information, as, for example during ambiguity resolution (Lee & Federmeier, 2011; Stites et al., 2013; see also review by Stine-Morrow et al., 2006). However, age-related differences are apparent even for the comprehension of simple sentences, as older adults manifest reductions in the incremental accrual of context information (Payne & Federmeier, 2018) and

in the ability to make use of weakly constraining context information (Wlotko & Federmeier, 2012). One particularly striking pattern is that older adults often fail to show patterns in ERP associated with the use of predictive preactivation. Older adults do not show predictive effects on articles that match upcoming nouns (DeLong et al., 2012) or N400 facilitations for unexpected words with predicted features (Federmeier et al., 2002). They also do not show anterior positivities to prediction violations (Wlotko et al., 2012). Thus, whereas younger adults often seem to comprehend in a mode that emphasizes active anticipation of and preparation for likely upcoming information, older adults instead often seem to adopt a more “passive” comprehension strategy, which is less attentionally-demanding (see review by Federmeier, 2022).

These age-related changes in the use of predictive preactivation are particularly important in the context of communication dynamics and accommodation because one impact of preactivation is to fundamentally shift the time course with which information becomes and stays available. When younger adults are predicting, they preactivate information about likely upcoming words (DeLong et al., 2012; Van Berkum et al., 2005; Dikker et al., 2009; Dikker & Pylkkänen, 2011; Dikker & Pylkkänen, 2013), in a manner that is timed to anticipate the presentation of that word (Dikker & Pylkkänen, 2013; Hubbard & Federmeier, 2021). When the prediction is successful, the processing of that predictable word is then reduced at the time that it is actually encountered (Rommers & Federmeier, 2018a) – with downstream consequences for how well it will later be remembered (Hubbard et al., 2019). When, instead, predictions are violated, additional processes are brought online to allow revision and to deal with the conflicting representation of the erroneously preactivated information (as seen in the anterior positivity and increases in frontal theta power; Federmeier, 2007; Rommers et al., 2017), which lingers and also affects later memory (Hubbard et al., 2019; Rommers & Federmeier, 2018b). Thus, when listening to the same sentence, comprehenders who are preactivating information and those who are not will be using different neural systems over time and will be activating even the same information with different time courses, creating a basic misalignment of their processing states.

Linguistic encoding during naturalistic comprehension

Although differences in comprehension outcomes have been reported between younger and older adults, how this relates to the encoding of specific levels of linguistic information

remains a major unknown. Language is hierarchically structured, comprising speech units that build in size and complexity (e.g., phoneme, syllable, morpheme, word, phrase, sentence). In young adults listening to continuous speech, such as an audiobook, neural responses encode features across the entire hierarchy (Gwilliams, 2020). One hypothesis, already discussed above in the context of lexical-semantic preactivation, is that younger and older adults recruit different processing strategies, implicating the generation of different linguistic features to resolve comprehension. For instance, if sensory processing is compromised in an older adult, they may compensate by more heavily relying on higher-order language features (e.g., sentence structure, grammatical predictions) in order to aid interpretation of the features that are closer to the sensory input (e.g., phoneme and syllable identity). In this case, there would be a larger difference between the encoding of higher and lower order features in the older adult as compared to the younger adult (Payne & Silcox, 2019).

An alternative hypothesis is that younger and older adults recruit the same set of neural processes, and therefore generate the same set of linguistic features, but in a different temporal order. In younger adults, it has been found that higher-order features such as sentence structure are encoded earlier than lower-order features such as speech sounds (Gwilliams, 2020). This “reverse hierarchy” arises because a higher-order structure is predictable over longer timescales than a lower-order structure. One possibility is that, if the older adult predicts upcoming speech to a lesser extent, their processing instead unfolds under a compositional feedforward hierarchy, whereby smaller sensory units are processed before larger abstract ones. This would entail a fundamental disconnect between the order of operations occurring in the younger and older brain.

A final hypothesis we offer is that, in the younger and older brain, the same operations occur, and in the same order, but with a temporal delay. This means that in the older adult it might take X ms longer for a linguistic representation to be generated. This would then have cascading effects later in the processing chain, culminating in an overall large processing delay (Gwilliams & King, 2020).

By testing the encoding of a suite of hierarchical linguistic representations during naturalistic listening, it will be possible to discriminate between these different hypotheses and ultimately associate different processing strategies with listener age and comprehension ability.

Predictability and discourse coherence

Younger and older adults may not only differ in the use of predictive preactivation during language comprehension, but the speech of younger and older adults may also vary in its predictability. Discourse coherence refers to the degree to which the overall topic under discussion is preserved across conversations. The more coherent a discourse, the more that the speaker is maintaining a theme of conversation and the more likely that the listener will be able to understand the meaning intended by the speaker. Although younger and older adults are remarkably similar in a variety of conversational discourse abilities (Pereira et al., 2019), older adults have been found to produce less globally coherent discourse, especially when recounting personal experiences (Pereira et al., 2019; Wright et al., 2014). If the speech of older adults includes more tangential asides and is less globally coherent, it may be more difficult for a listener to actively predict upcoming information in the discourse. As a result, an intergenerational conversation may be marked by differences not only in the overall propensity of each of the interlocutors to predict, but also by differences in the predictability of the content of the conversation. As a result, neural activity between younger and older interlocutors may be more coupled if both conversational partners adopt processing strategies that “passive” - i.e., reactive to the input as it comes, with less investment of attention toward anticipation and preactivation (see discussion in Federmeier, 2022).

Few studies have directly examined how linguistic predictability affects inter-brain coupling between speakers and listeners. In one fMRI study, Stephens et al., (2010) found that communicative outcomes (in this case, memory of a story) were correlated with speaker-listener inter-brain coupling during storytelling. Crucially, this relationship between inter-brain coupling and communicative success was most prominent for neural activity in the listener that preceded the speaker’s brain activity, a finding that the authors attributed to listeners successfully predicting the speaker’s utterance. Hyperscanning studies involving naturalistic verbal interactions have also suggested that prediction plays a role in inter-brain synchrony (e.g., Dai et al., 2018). More direct evidence for the role of lexical-semantic preactivation in speaker-listener neural coupling comes from an fMRI study that compared high and low cloze-probability utterances and found that speaker-listener inter-brain coupling was indeed affected by sentence-level predictability, both before and during the predicted word (Dikker et al., 2014).

Keeping up with discourse

Speech tracking

Our brains track the temporal structure of (auditory) information in our environment, a process that has been linked to various behavioral outcomes (Lakatos et al., 2008). Studies suggest that this neural *entrainment* to the speech envelope may be important for language comprehension (Zion Golumbic et al., 2013), where brain-to-speech coupling at frequencies under 8 Hz is linked to segmenting the continuous speech stream into meaningful linguistic units (phonemes, syllables, words, and phrases). Brain-to-speech coupling is mediated by a number of factors, with emerging evidence revealing a complex interaction between tracking and comprehension. While it was long assumed that increased attention to the speech signal leads to increased tracking, which in turn leads to comprehension advantages, more recent studies suggest that the relationship between tracking and comprehension is more nuanced, at times generating seemingly contradictory findings. For example, non-native listeners exhibit tighter entrainment of the speech envelope but lower comprehension rates (Reetzke et al., 2020), whereas in older adults higher entrainment has instead been linked to *better* comprehension (Decruy et al., 2019). This study also reported a general increase in envelope tracking as a function of age, with older adults showing the highest entrainment to the speech envelope.

Speech tracking during language production (e.g., Magrassi et al., 2015) also changes with age. For example, Kemper and colleagues (Kemper et al., 2011) modeled age-related changes in speech planning, speech production, and speech output monitoring, and found that older adults experience increased costs associated with each of these stages. Post-production cost was especially high for long, informative, or high-rate utterances. It is not unlikely that this underlies the finding that older adults tend to produce not only less fluent, but also less complex language (e.g., Kemper et al., 2003).

This increased cost associated with language production may also be partly responsible for the fact that speech rate slows down as a function of aging (Linville, 2001). In fact, this age-related speech attribute is so consistent that if listeners are asked to infer the age of a speaker, they associate slower speech with old age above and beyond any other cue (Harnsberger et al., 2008; Skoog Waller et al., 2015).

To our knowledge, language comprehension research has not directly asked how the ability to comprehend or align with spoken information changes with the age of the speaker. Some indirect evidence that slow speech rates may benefit comprehension by older adults comes from studies comparing older and younger adults in how they comprehend language presented at different rates, often under adverse listening conditions (such as noisy or multi-speaker contexts, or impoverished speech). A series of studies conducted in the 1980's (reviewed in Kemper & Anagnopoulos, 1989), suggested that speech rate affects speech comprehension in older adults. For example, at normal or fast speech rates, older adults are still able to accurately segment speech, but they remember less of what they heard (Wingfield & Stine, 1986). More recently, (Wingfield et al., 2003) presented syntactically complex and simple clauses at different speech rates and found that older adults had more difficulty comprehending, and Mesik et al. (2021) found that older adults show stronger cortical-tracking of word-level features than young adults (again under adverse listening conditions), although their overall comprehension score was higher than that of younger adults.

Turn-taking in dynamic discourse

Thus far, we have discussed mostly findings from studies wherein communication is unidirectional: participants take on the role of the listener or, more rarely, the speaker. Needless to say, dyadic interaction most often takes the form of a dialogue, where speakers and listeners swap roles at fairly short intervals (in the order of seconds). Turn-taking behavior plays a key role in dyadic conversation both to facilitate mutual comprehension, but also to foster interpersonal relationships more broadly (Menenti et al., 2012; Pickering & Garrod, 2004, 2021).

The typical gap or offset of a turn is about 200 ms. It has been suggested that this rapid timing can only be achieved if speakers and listeners actively predict both linguistic content and the timing of the turn (Levinson, 2016), and if comprehension and production processes temporarily overlap (Jongman, 2021). Wilson & Wilson (2005) further suggest that shared neural entrainment to the speech rhythm by both the speaker and the listener supports tightly locked turn-taking and helps prevent speakers and listeners from starting to talk at the same time. Upcoming turns can be anticipated based on word-by-word lexico-semantic predictability, with highly predictable words more likely to coincide with the end of a turn

(Garrod & Pickering, 2015). Given the documented age-related changes in both timing and prediction, then, one might expect age-related turn-taking differences. To our knowledge, however, while turn-taking behavior has been studied in early development (Holler et al., 2015), variation in turn-taking in older adults is not well-documented.

In hyperscanning research, several studies have reported a relationship between turn-taking and interpersonal neurophysiological coupling (Nguyen et al., 2021b; Pan et al., 2020; Wohltjen & Wheatley, 2021). For example, Nguyen et al. (2021b) found that turn-taking, but no other qualitative measures, predicted inter-brain coupling over the course of a conversation in parent-child dyads; and a recent study has shown that the rise and fall of pupil synchrony align with turn-taking behavior (Wohltjen & Wheatley, 2021). This work highlights the importance not only of studying dynamic interactions, but also of examining the dynamics of inter-brain coupling within utterances.

Accommodation

The findings reviewed thus far underscore that verbal communication recruits multiple mechanisms at multiple levels of representation and that aging affects both how and the extent to which different mechanisms are used during comprehension. Importantly, linguistic communication processes and outcomes are subject to individual differences at all ages, due to factors ranging from verbal fluency and literacy (Federmeier et al., 2010; Huettig et al., 2011; Ng et al., 2017, 2018; Stites et al., 2013), to gender, socio-economic status, and regional features. Comprehension patterns can also shift within individuals, even within a single experimental session, in response to a wide range of task demands (Brothers et al., 2015, 2017; Fischer-Baum et al., 2014; Lau et al., 2013; Payne & Federmeier, 2017; Wlotko & Federmeier, 2015). For example, Brothers et al. (2017) showed that behavioral and neurophysiological signatures of prediction increased when young adults were encouraged to predict but decreased when the stimulus set included many unpredictable sentence endings, which thus rendered prediction less useful as a strategy. Similarly, older adults, who are overall less likely to exhibit signatures of predictive preactivation, have been shown to do so under some conditions (Dave et al., 2018; DeLong et al., 2012). These adaptations to the task and stimulus set occur at even smaller time scales: Examination of trial-by-trial variability in sentence processing by both younger and older adults (Jongman & Federmeier, in revision; Jongman & Federmeier, 2022; Payne & Federmeier, 2017) has revealed that

prediction is differentially engaged across items, even within the same individual and the same task. Importantly, then, processing strategies are not fixed, but can be adapted – a process that could potentially be leveraged to aid alignment and allow more successful coupling.

Sociolinguists have extensively studied how individuals may adapt (accommodate) their language use in conversational settings. In addition to coordinating turns, conversational partners can flexibly adapt their communication to accommodate a wide range of their partner's communicative behaviors ranging from low-level features (Giles, 1973; Giles et al., 1991a) such as speech rate (Szabo, 2019) to syntactic structure (Gries, 2005; Hardy et al., 2017). Strategically converging attributes of one's speech to be more like a conversational partner may be an effective strategy to convey the motivation to gain social approval or improve the communicative efficiency of the interaction. Across a variety of contexts, it has been found that when a speaker perceives that their communication partner sounds more similar to themselves, the partner is perceived to be more predictable and supportive (Coupland, 2010). For example, in the English and French bilingual context of Montreal, speakers of English view speakers of French more favorably if they converge towards English, and vice versa, even though the convergence necessarily means that one communication partner is speaking in their less dominant language (Giles et al., 1991b).

Although convergence to a partner's speech is often viewed favorably, the intentions of the converging speaker can impact how attempts to converge are interpreted by the communication partner. "Overaccommodation" refers to cases in which a speaker's attempt to converge is perceived by their conversation partner as unnecessary and possibly demeaning or mocking (Giles et al., 1987). Overaccommodation viewed as a key issue in the context of intergenerational communication, which can differ from communication between interlocutors of a similar age not only due to possible differences in competence of the communication partners, but also from *perceived* differences in competence. For example, physical attributes of the elder communication partner such as gray hair, wrinkles, and repetitive speech may prime younger communication partners to overaccommodate their speech by slowing their speech rate, speaking louder, or making simpler lexical choices in the interaction, even when these accommodations are unnecessary (e.g., Chen et al., 2017; Ryan et al., 1986). These speech accommodations, often referred to as *elderspeak* in the literature (cf., Samuelsson et al., 2013), are similar to speech adaptations made by adults in

speech to young children, but when used with a competent older adult can have a negative effect on self-esteem and psychological well-being (Chen et al., 2017; Hummert, 1994) as well as negative health outcomes (Williams & Herman, 2011). Additionally, overaccommodating speech from a younger adult conversing with an older adult may constrain the older adult's set of possible responses, thereby leading to a negative feedback loop in which the elderly interlocutor only engages in simple communication, which in turn reinforces stereotypes in the younger conversation partner (Ryan et al., 1986).

Intergenerational communication marked by overaccommodation and simplified speech may create linguistic and social misalignment, which, in turn, may result in lower inter-brain coupling between the younger and older interlocutors. To the extent that neural coupling is critical for communicative success, it is important to identify the characteristics of speech between younger and older communication partners that afford successful accommodation, as compared to perceived overaccommodation, in order to better understand the circumstances under which intergenerational communication can unfold most effectively.

Specific predictions for inter-brain coupling in intergenerational conversations

While the research discussed above is by no means exhaustive, an overall pattern emerges that both cortical timing and shared (linguistic) predictions, which are known correlates of inter-brain coupling in dyads, undergo significant age-related changes. This raises the question how these features may affect interpersonal neurophysiological coupling in intergenerational communication and how such challenges may be overcome.

Global patterns

Age-related slowing of both sensory-evoked responses and endogenous oscillations may tend to lead to global differences in inter-brain coupling for intergenerational dyads, compared to their intragenerational counterparts. For example, above we suggested that age-related changes in alpha peak frequency should result in lower intergenerational inter-brain coupling during rest. It is intriguing to speculate that intergenerational dyads might then try to use turn-taking as a strategy to “reset” drifting alignments over time. This scenario, depicted in Figure 4a, is likely too simplistic because turns are not the only “phase-resetting” events during a dialogue. In fact, it has been suggested that endogenous rhythms are subject to interpersonal convergence during dialogue via event-related entrainment at the syllabic

level (Wilson & Wilson, 2005). Thus, we might expect that any intergenerational drifts in oscillatory profiles are mitigated by speech entrainment. Still, as suggested by the data presented in Figure 3, the average age of a study population may affect the neural frequency at which inter-brain coupling is predictive of global features of an interaction (such as mood, social closeness). As a result, interbrain-behavior relationships may be less easy to detect in intergenerational dyads, depending on whether the inter-brain coupling metric captures possible cross-frequency coupling.

Dynamic and multi-layered fluctuations of inter-brain coupling

There are good reasons to suspect that differences between intra- and intergenerational dyadic inter-brain coupling will dynamically vary over the course of an interaction, even within a single turn. For example, in young adult dyads, we might expect inter-brain coupling to gradually increase over the course of a turn as a function of an increase in predictability and thus increased speaker-listener alignment in language representation and timing (Pickering & Garrod, 2004). On the other hand, entrainment to the speech envelope, a known predictor of inter-brain coupling, has been shown to decrease with linguistic predictability (Molinaro et al., 2021). Thus, neural effects of expectancy on envelope tracking on the one hand, and representational similarity on the other, lead to opposite predictions about the time course of inter-brain coupling: while accumulating predictability should lead to *lower* shared tracking, it should lead to *higher* representational convergence. Recall, however, that there is no one way to compute inter-brain coupling. In fact, recent efforts to disentangle entrainment to the speech envelope from ‘purely’ dyadic coupling in linguistic exchanges (Pérez et al., 2017) inter-brain coupling between speakers and listeners in the delta and theta band was best explained by entrainment to the audio signal, whereas inter-brain coupling in alpha and beta bands appeared to emerge directly from the interaction. Relatedly, the dataset referenced above (Dikker et al., 2021), showed that dyads who showed higher inter-brain coupling in power at 7-8 Hz (quantified as projected power correlations; Hipp et al., 2012), also exhibited higher (non-instantaneous) inter-brain coupling of oscillatory activity at 20 Hz (quantified as Imaginary Coherence; Nolte et al., 2004). These effects might be due to a co-occurrence effect where age-related changes in both alpha peak frequency and beta oscillations are both observed, but are not functionally linked. Other ‘types’ of coupling might instead be interdependent. For example, alpha peak frequency drifts may motivate intergenerational

dyads to behaviorally (over)compensate during conversations (more turn-taking, more joint action), boosting dyadic coupling during interactions. Hints that such processes might indeed be at play come from recent research showing that inter-brain coupling and behavioral synchrony can be anti-correlated. Djalovski et al. (2021) found that, compared to strangers, romantic couples exhibited the highest behavioral synchrony and lowest inter-brain coupling.

We might thus expect that inter-brain coupling is affected by a complex interplay of the age-related changes reviewed above. Figure 4b illustrates one possible way in which linguistic preactivation, speech tracking, and the timing of event-related neural responses may affect intergenerational inter-brain coupling dynamics within a turn, and shows that predictions vary depending on who is speaking versus listening (the older vs. young adult).

Timing

Age-related neural timing differences are likely to affect inter-brain coupling in intergenerational dyadic interactions in various ways. Figure 4b illustrates the hypothesis that older adults show a temporal shift, or delay, in tracking and encoding speech compared to younger adults (“young adult speaks”, turns 1 and 3). Alternative possibilities are that such a delay is only observed at the beginning of a turn (recall that the N1 response is delayed for older adults relative to young adults for the first word, but not the last word of a sentence; Woodward et al., 1993); or that temporal reordering of linguistic encoding or lower encoding precision (Anderson et al., 2012) in older adults leads to lower overall inter-brain coupling or ‘jittered’ inter-brain coupling.

Preactivation

If the tendency to engage in predictive preactivation differs across an intergenerational dyad, lower coupling may be seen toward the end of a turn (Figure 4b, “older adult speaks”). This decline may be observed in the beta frequency range, reflecting differences in whether and how predictions are generated and comprehended (Lewis et al., 2016; Wang et al., 2012). In contrast, *intragenerational* older adult dyads may not show a decrease in coupling over the course of a turn: Despite accumulating predictability they may not exhibit a gradual attenuation in brain-to-speech tracking (Molinaro et al., 2021), resulting in a more constant level of entrainment-related inter-brain coupling.

Accommodation

Figure 4c shows how accommodation on the part of the young adult may lead to increased inter-brain coupling over time. If young adults are able to pick up on different preactivation strategies in their older adult conversational partner, they may be able to adapt their own comprehension strategy to be less predictive – more “passive” (discussed above). Additionally, young adults may adapt their speech to better align with the preferred rate of the older adult (Figure 4c, third turn). Together, accommodation may lead to an increase in inter-brain coupling over the course of the conversation (Figure 4c, right panel).

It is important to stress that the scenarios displayed in Figure 4 are simplistic and non-exhaustive. For example, increased speech envelope tracking in older adults could lead to *greater* overall inter-brain coupling for intergenerational dyads compared to young adult dyads. Additionally, prediction and preactivation has been shown to affect the speaker’s neural signal as well, but in exactly the opposite way as the listener’s, with *enhanced* rather than reduced activation for previously preactivated words (Dikker et al., 2014; Tian & Poeppel, 2012). Furthermore, the lag between production and comprehension is not taken into account: We would expect a delay of about 200 milliseconds, at least in young adult listeners (Davidesco et al., 2019). Additionally, some research suggests that, at least in certain contexts, older adults are *more* likely to accommodate their speech rate (either by speeding up or slowing down) than young adults are (Szabo, 2019). It is an open question whether this also applies to comprehension strategies – e.g., whether older adults might engage in more predictive preactivation to accommodate to younger adult linguistic processing.

In sum, along the lines of the misattunement hypothesis referenced above (Bolis et al., 2017), one might expect a complex, but systematic interaction between different levels of representation to lead to differences in inter-brain coupling in intra vs. intergenerational dyads that may vary by frequency and inter-brain coupling metric. A mix of inter-brain coupling dynamics may arise, depending on the degree to which the speakers are successful at achieving similar strategies and accommodating more generally. How and under which conditions these processes come online is subject to future investigation.




Figure 4. Schematic scenarios of intergenerational inter-brain coupling during conversation in older adults. Three hypothetical scenarios illustrating how individual speech and brain activity in a young adult (orange) and an older adult (blue) dynamically progresses throughout a dyadic interaction over the course of three turns (“young adult speaks” > “older adult speaks” > “young adult speaks”; left panel), leading to different inter-brain coupling dynamics (right panel). **A.** age-related alpha peak differences lead to inter-individual drift, which is temporarily reset via events (here: turn-taking events). This leads to systematic rises and falls in inter-brain synchrony throughout a conversation (purple line in right panel). **B.** A temporal delay or jitter in speech tracking in the older adult (turn 1 and turn 3), and differences in preactivation vs. passive processing (turn 2) lead to low inter-brain coupling in turns 1 and 3, and a decay inter-brain coupling over the course of turn 2, respectively (green line in right panel). **C.** Accommodation on the part of the young adult may consist of adopting a passive processing style (turn 2) and/or speech rate accommodation (turn 3), leading to an upward trend in inter-brain coupling throughout turns 1-3 (green line in right panel). Icon: Speak by Adrien Coquet from NounProject.com.

Discussion

Communicative outcomes

We began this paper by arguing that understanding intergenerational language comprehension may be vital in explaining, and ultimately improving, health-related outcomes. We suggested that intergenerational communication involving older adults might be compromised by age-related neurobiological changes, and in prior sections we reviewed a subset of such changes as they relate to timing and prediction.

We cited research showing that, although some decline is reported for highly demanding listening conditions, comprehension is generally well-preserved in older adults. This work suggests that older adults often reach the same comprehension goals, albeit in different ways. However, although such research has been useful for telling us what circumstances or

abilities predict better/worse language comprehension by older adults, most of this work has been done in the context of an individual comprehending in isolation. As we argued above, findings from single-individual laboratory research may not extend to social settings, let alone dynamic social exchanges, where successful communication involves the implicit negotiation of topics, timing, and turn-taking, among other factors. Indeed, emerging research supports the idea that the people involved in a communicative exchange and the environmental context in which that exchange takes place are not merely a backdrop to comprehension, but core features with critical implications for comprehension success (Brown-Schmidt et al., 2015). Moreover, even if comprehension can perhaps be successful despite difficulties with alignment and coupling as a function of the age(s) of the people involved in an interaction, immediate comprehension metrics are not the only outcome of communication. Different patterns of processing dynamics during communication can have downstream consequences for what people remember about the exchange and for a given dyad's ability to communicate further and feel socially connected. For example, even subtle, imperceivable disruptions of the temporal dynamics of a conversation (e.g., through video conferencing) can degrade the pleasantness of a conversation (Powers et al., 2011), disrupt turn-taking (Wilson & Wilson, 2005), or send unintentional social signals of disinterest or subordination. These factors, in turn, can harm both trust and social closeness, with possible negative impacts on learning (Bevilacqua et al., 2018), as well as joint (Bang et al., 2014) and health-based decision-making (Stewart, 1995).

Taken together, although clever experimental designs have been instrumental in isolating key language processing mechanisms, one might argue that the complex dynamics of dyadic conversations render them the ideal sandbox to study how the aging human brain supports the kind of interactive network dynamics that are critical for communication and for social interaction more generally (cf. Falandays et al., 2020). In fact, the most effective “brain training” for healthy cognitive aging appears to be regularly recruiting the combination of processes needed to navigate multi-person social engagements (Huxhold et al., 2013): All the sudoku puzzles in the world cannot compete with an afternoon of chit-chatting and playing Dominos on the sidewalk. Conversely, targeting age-related variation in dyadic conversations as a hypothesis space may help deepen our basic understanding of how “low-level” neurobiological factors may matter (and how) in explaining “high-level” communicative outcomes.

Questions and Predictions

At minimum, the data we have reviewed here suggest that signatures of alignment and inter-brain coupling will show age-related differences (e.g., in the frequency bands that matter). To be able to take these into account and bring the right measures to bear in studies looking at communication involving older adults, we need more empirical work looking at inter-brain coupling in older adulthood and methodological refinements that allow us to better capture age-related changes as they come online during naturalistic dyadic interactions. Such refinements may include a better mapping of inter-brain coupling metrics to psychological constructs and a better consensus about analysis procedures (Ayrolles et al., 2021), examining inter-brain coupling dynamics within as opposed to across verbal exchanges, and developing analysis approaches that capture the complex interaction of linguistic processes at multiple levels of representation (Gwilliams & King, 2020).

One core question, in particular, is whether there are age-related shifts in (the ability to achieve) inter-brain coupling. Older adults may have a harder time aligning and coupling due to factors including increased variability in neural firing (neural “noise”), difficulty sustaining dynamic patterns, sensory changes that result in lost fidelity of the signals that are important for alignment, and/or difficulties with attention and executive control that are critical for regulating neural patterns that are critical for accommodation to a conversation partner or adaptive behavior to a communicative context. If the coupling is reduced for dyads involving older adults, we further need to understand what consequences that might have for comprehension, memory, and social functioning. For example, if the coupling is reduced, does that correlate with a reduced amount of information exchanged and/or less efficient information exchange? Or are there adaptations that make coupling less important for older than younger adults? If coupling remains important but is more difficult for older adults, are there factors that can mitigate against those difficulties?

Beyond possible differences between young and older intragenerational dyads, what are the specific challenges and possibilities for dyads that cross generations? Is the extent of coupling predictive of the same communicative and social outcomes in intra- and inter-generational dyads? And does a “failure to couple” within intra- and inter-generational dyads arise from the same underlying neural cause (e.g., temporal delay in both cases), or is coupling qualitatively different across generations? On the one hand, it is possible that older

adults are better able to successfully couple within intragenerational dyads if, for example, alignment is easier when baseline properties of physiology (e.g., frequency of a core oscillation like alpha) or cognitive factors (like speech rate) are more similar in those dyads. On the other hand, it is also possible that older adults may experience more successful inter-brain coupling in intergenerational dyads if, for example, accommodation is easier for younger than for older conversation partners (but see Szabo, 2019).

The ability to accommodate may depend on the level of representation. As we have shown, in addition to “lower-level” factors critical for successful alignment, our review suggests that an important – and thus far largely overlooked – factor that can affect inter-brain coupling, especially in intergenerational dyads, is processing strategy. In particular, age-related changes in the tendency to engage “active” comprehension mechanisms, including predictive preactivation, may yield substantial differences in when information is activated and which processing mechanisms are engaged over the time course of a sentence, discourse, and/or conversation. Failure to couple, therefore, may arise for different reasons – in some cases because brains are performing the same computations but with a temporal delay or jitter, but in other cases because they are performing different computations altogether. These differences, moreover, will themselves be variable as a function of the predictability of the information – such that coupling is likely to fluctuate as a function of elapsed time in the conversation and may do so differently for intergenerational compared to intragenerational dyads, and even for intragenerational dyads of different ages.

Because people seem to have some ability to control their processing strategies, including the deployment of predictive preactivation, adaptation offers an additional mechanism that may be critical for the success of alignment and coupling and an additional dimension along which inter-brain coupling should be studied. Successfully adopting an appropriate strategy may be facilitated by and/or underlie some of the beneficial effects of factors like familiarity and personality that have already been shown to affect inter-brain coupling. To the extent that participants within a dyad can learn to select complementary processing strategies – i.e., if older adults can strategically engage in predictive preactivation when interacting with younger adults or if younger adults are willing and able to adopt more or less predictive strategies – then this may facilitate successful inter-brain coupling in intergenerational dyads, with concomitant benefits for comprehension and social cohesion.

Conclusion

While successful communication may lead to better overall health outcomes for older adults, very few studies to date investigate the neural basis of (intergenerational) communicative exchanges involving older adults. As such, the current state of the literature does not permit clear conclusions to be drawn about exactly how successful intergenerational communication is achieved. It does, however, afford some predictions to be tested and some promising questions for future research, along with emerging methods to address those questions.

References

- Anderson, S., Parbery-Clark, A., White-Schwoch, T., & Kraus, N. (2012). Aging affects neural precision of speech encoding. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 32(41), 14156–14164.
- Astolfi, L., Cincotti, F., Mattia, D., De Vico Fallani, F., Salinari, S., Vecchiato, G., Toppi, J., Wilke, C., Doud, A., Yuan, H., He, B., & Babiloni, F. (2010). Imaging the social brain: multi-subjects EEG recordings during the “Chicken’s game.” *2010 Annual International Conference of the IEEE Engineering in Medicine and Biology*, 1734–1737.
- Ayrolles, A., Brun, F., Chen, P., Djalovski, A., Beauxis, Y., Delorme, R., Bourgeron, T., Dikker, S., & Dumas, G. (2021). HyPyP: a Hyperscanning Python Pipeline for inter-brain connectivity analysis. *Social Cognitive and Affective Neuroscience*, 16(1-2), 72–83.
- Babiloni, F., & Astolfi, L. (2014). Social neuroscience and hyperscanning techniques: past, present and future. *Neuroscience and Biobehavioral Reviews*, 44, 76–93.
- Babiloni, F., Astolfi, L., Cincotti, F., Mattia, D., Tocci, A., Tarantino, A., Marciani, M., Salinari, S., Gao, S., Colosimo, A., & De Vico Fallani, F. (2007). Cortical activity and connectivity of human brain during the prisoner’s dilemma: an EEG hyperscanning study. *Conference Proceedings: ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference, 2007*, 4953–4956.
- Balconi, M., Pezard, L., Nandrino, J.-L., & Vanutelli, M. E. (2017). Two is better than one: The effects of strategic cooperation on intra- and inter-brain connectivity by fNIRS. *PLoS One*, 12(11), e0187652.
- Bang, D., Fusaroli, R., Tylén, K., Olsen, K., Latham, P. E., Lau, J. Y. F., Roepstorff, A., Rees, G., Frith, C. D., & Bahrami, B. (2014). Does interaction matter? Testing whether a confidence heuristic can replace interaction in collective decision-making. *Consciousness and Cognition*, 26, 13–23.
- Beheshti, N. (2018, November 29). The Clash Of The Baby Boomers And Millennials: How Can We All Get Along? *Forbes Magazine*.
<https://www.forbes.com/sites/nazbeheshti/2018/11/29/the-clash-of-the-baby-boomers-and-millennials-how-can-we-all-get-along/>
- Ben-Yakov, A., Honey, C. J., Lerner, Y., & Hasson, U. (2012). Loss of reliable temporal structure in event-related averaging of naturalistic stimuli. *NeuroImage*, 63(1), 501–506.
- Berkman, N. D., Sheridan, S. L., Donahue, K. E., Halpern, D. J., & Crotty, K. (2011). Low health literacy and health outcomes: an updated systematic review. *Annals of Internal Medicine*, 155(2), 97–107.
- Bethlehem, R. A., Seidlitz, J., White, S. R., Vogel, J. W., Anderson, K. M., Adamson, C., ... & Sharp, D. (2022). Brain charts for the human lifespan. *Nature*
- Bevilacqua, D., Davidesco, I., Wan, L., Chaloner, K., Rowland, J., Ding, M., Poeppel, D., & Dikker, S.

- (2019). Brain-to-Brain Synchrony and Learning Outcomes Vary by Student–Teacher Dynamics: Evidence from a Real-world Classroom Electroencephalography Study. *Journal of Cognitive Neuroscience*, 31(3), 401–411.
- Bevilacqua, D., Davidesco, I., Wan, L., Oostrik, M., Chaloner, K., Rowland, J., Ding, M., Poeppel, D., & Dikker, S. (2018). Brain-to-Brain Synchrony and Learning Outcomes Vary by Student–Teacher Dynamics: Evidence from a Real-world Classroom Electroencephalography Study. *Journal of Cognitive Neuroscience*, 1–11.
- Bolis, D., Balsters, J., Wenderoth, N., Becchio, C., & Schilbach, L. (2017). Beyond Autism: Introducing the Dialectical Misattunement Hypothesis and a Bayesian Account of Intersubjectivity. *Psychopathology*, 50(6), 355–372.
- Brothers, T., Swaab, T. Y., & Traxler, M. J. (2015). Effects of prediction and contextual support on lexical processing: Prediction takes precedence. *Cognition*, 136, 135–149.
- Brothers, T., Swaab, T. Y., & Traxler, M. J. (2017). Goals and strategies influence lexical prediction during sentence comprehension. *Journal of Memory and Language*, 93, 203–216.
- Brown-Schmidt, S., Yoon, S. O., & Ryskin, R. A. (2015). People as contexts in conversation. In *Psychology of learning and motivation* (Vol. 62, pp. 59–99). Elsevier.
- Burgess, A. P. (2013). On the interpretation of synchronization in EEG hyperscanning studies: a cautionary note. *Frontiers in Human Neuroscience*, 7, 881.
- Burke, D. M., & Peters, L. (1986). Word associations in old age: evidence for consistency in semantic encoding during adulthood. *Psychology and Aging*, 1(4), 283–292.
- Burns, A. (1993). The Handbook of Ageing and Cognition. Edited by F. Craik and T. Salthouse. (Pp. 585; \$95.00.) Lawrence Erlbaum: Hillsdale, NJ.1992. In *Psychological Medicine* (Vol. 23, Issue 4, pp. 1049–1050). <https://doi.org/10.1017/s0033291700026520>
- Cabeza, R., Nyberg, L., & Park, D. C. (2016). *Cognitive Neuroscience of Aging: Linking Cognitive and Cerebral Aging*. Oxford University Press.
- Carr-Hill, R. A., Rice, N., & Roland, M. (1996). Socioeconomic determinants of rates of consultation in general practice based on fourth national morbidity survey of general practices [Review of *Socioeconomic determinants of rates of consultation in general practice based on fourth national morbidity survey of general practices*]. *BMJ*, 312(7037), 1008–1012.
- Chen, C.-Y., Joyce, N., Harwood, J., & Xiang, J. (2017). Stereotype reduction through humor and accommodation during imagined communication with older adults. *Communication Monographs*, 84(1), 94–109.
- Chen, P., Hendrikse, S., Sargent, K., Romani, M., Oostrik, M., Wilderjans, T. F., Koole, S., Dumas, G., Medine, D., & Dikker, S. (2021). Hybrid Harmony: A Multi-Person Neurofeedback Application for Interpersonal Synchrony. *Frontiers in Neuroergonomics*, 2, 21.
- Chen, P., Kirk, U., & Dikker, S. (2021). Trait mindfulness predicts inter-brain coupling during naturalistic face-to-face interactions. In *bioRxiv* (p. 2021.06.28.448432). <https://doi.org/10.1101/2021.06.28.448432>
- Cohen, S. S., Henin, S., & Parra, L. C. (2017). Engaging narratives evoke similar neural activity and lead to similar time perception. *Scientific Reports*, 7(1), 4578.
- Coupland, N. (2010). Accommodation theory. *Society and Language Use*, 7, 21.
- Cui, X., Bryant, D. M., & Reiss, A. L. (2012). NIRS-based hyperscanning reveals increased interpersonal coherence in superior frontal cortex during cooperation. *NeuroImage*, 59(3), 2430–2437.
- Czeszumski, A., Eustergerling, S., Lang, A., Menrath, D., Gerstenberger, M., Schuberth, S., Schreiber, F., Rendon, Z. Z., & König, P. (2020). Hyperscanning: A Valid Method to Study Neural Inter-brain Underpinnings of Social Interaction. *Frontiers in Human Neuroscience*, 14, 39.
- Czeszumski, A., Liang, S. H.-Y., Dikker, S., König, P., Lee, C.-P., Koole, S. L., & Kelsen, B. (2021). Cooperative behavior evokes inter-brain synchrony in the prefrontal and temporoparietal cortex: A systematic review and meta-analysis of fNIRS hyperscanning studies. *eNeuro*.
- Dahlberg, L. (2021). Loneliness during the COVID-19 pandemic. *Aging & Mental Health*, 25(7), 1161–1164.

- Dai, B., Chen, C., Long, Y., Zheng, L., Zhao, H., Bai, X., Liu, W., Zhang, Y., Liu, L., Guo, T., Ding, G., & Lu, C. (2018). Neural mechanisms for selectively tuning in to the target speaker in a naturalistic noisy situation. *Nature Communications*, 9(1), 2405.
- Dave, S., Brothers, T. A., Traxler, M. J., Ferreira, F., Henderson, J. M., & Swaab, T. Y. (2018). Electrophysiological evidence for preserved primacy of lexical prediction in aging. *Neuropsychologia*, 117, 135–147.
- Davidesco, I., Laurent, E., Valk, H., West, T., Dikker, S., Milne, C., & Poeppel, D. (2019). Brain-to-brain synchrony predicts long-term memory retention more accurately than individual brain measures. In *bioRxiv* (p. 644047). <https://doi.org/10.1101/644047>
- Davidesco, I., Matuk, C., Bevilacqua, D., Poeppel, D., & Dikker, S. (2021). Neuroscience research in the classroom: Portable brain technologies in education research. *Educational Researcher*, 0013189X2110315.
- Decruy, L., Vanthornhout, J., & Francart, T. (2019). Evidence for enhanced neural tracking of the speech envelope underlying age-related speech-in-noise difficulties. *Journal of Neurophysiology*, 122(2), 601–615.
- DeLong, K. A., Groppe, D. M., Urbach, T. P., & Kutas, M. (2012). Thinking ahead or not? Natural aging and anticipation during reading. *Brain and Language*, 121(3), 226–239.
- Diaz, M. T., Rizio, A. A., & Zhuang, J. (2016). The Neural Language Systems That Support Healthy Aging: Integrating Function, Structure, and Behavior. In *Language and Linguistics Compass* (Vol. 10, Issue 7, pp. 314–334). <https://doi.org/10.1111/lnc3.12199>
- Dikker, S., Michalareas, G., Oostrik, M., Serafimaki, A., Kahraman, H. M., Struiksma, M. E., & Poeppel, D. (2021). Crowdsourcing neuroscience: Inter-brain coupling during face-to-face interactions outside the laboratory. *NeuroImage*, 227, 117436.
- Dikker, S., & Pylkkanen, L. (2011). Before the N400: Effects of lexical–semantic violations in visual cortex. *Brain and Language*, 118(1), 23–28.
- Dikker, S., & Pylkkänen, L. (2013). Predicting language: MEG evidence for lexical preactivation. *Brain and Language*, 127(1), 55–64.
- Dikker, S., Rabagliati, H., & Pylkkänen, L. (2009). Sensitivity to syntax in visual cortex. *Cognition*, 110(3), 293–321.
- Dikker, S., Silbert, L. J., Hasson, U., & Zevin, J. D. (2014). On the Same Wavelength: Predictable Language Enhances Speaker–Listener Brain-to-Brain Synchrony in Posterior Superior Temporal Gyrus. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 34(18), 6267–6272.
- Dikker, S., Wan, L., Davidesco, I., Kaggen, L., Oostrik, M., McClintock, J., Rowland, J., Michalareas, G., Van Bavel, J. J., Ding, M., & Poeppel, D. (2017). Brain-to-Brain Synchrony Tracks Real-World Dynamic Group Interactions in the Classroom. *Current Biology: CB*, 27(9), 1375–1380.
- Dikker, S., Wan, L., Davidesco, I., Kaggen, L., Oostrik, M., McClintock, J., Rowland, J., Michalareas, G., Van Bavel, J. J., Ding, M., & Poeppel, D. (2017). Brain-to-Brain Synchrony Tracks Real-World Dynamic Group Interactions in the Classroom. *Current Biology: CB*, 27(9), 1375–1380.
- Djalovski, A., Dumas, G., Kinreich, S., & Feldman, R. (2021). Human attachments shape interbrain synchrony toward efficient performance of social goals. *NeuroImage*, 226, 117600.
- D’Onofrio, P., Norman, L. J., Sudre, G., White, T., & Shaw, P. (2021). The Anatomy of Friendship: Neuroanatomic Homophily of the Social Brain among Classroom Friends. *Cerebral Cortex*. <https://doi.org/10.1093/cercor/bhab398>
- Duan, L., Liu, W.-J., Dai, R.-N., Li, R., Lu, C.-M., Huang, Y.-X., & Zhu, C.-Z. (2013). Cross-brain neurofeedback: scientific concept and experimental platform. *PloS One*, 8(5), e64590.
- Duffy, F. H., McAnulty, G. B., & Albert, M. S. (1993). The pattern of age-related differences in electrophysiological activity of healthy males and females. *Neurobiology of Aging*, 14(1), 73–84.
- Duggento, A., Ellingsen, D.-M., Isenburt, K., Jung, C., Lee, J., Gerber, J., Mawla, I., Sclocco, R., Edwards, R. R., Kelley, J. M., Kirsch, I., Kaptchuk, T. J., Toschi, N., & Napadow, V. (2021). Causal dynamics of patient/clinician facial expression transfer are associated with insula cortex brain-to-brain concordance. *The Journal of Pain: Official Journal of the American Pain Society*,

22(5), 606.

- Dumas, G., Chavez, M., Nadel, J., & Martinerie, J. (2012). Anatomical connectivity influences both intra- and inter-brain synchronizations. *PloS One*, 7(5), e36414.
- Dumas, G., & Fairhurst, M. T. (2021). Reciprocity and alignment: quantifying coupling in dynamic interactions. *Royal Society Open Science*, 8(5), 210138.
- Dumas, G., Lachat, F., Martinerie, J., Nadel, J., & George, N. (2011). From social behaviour to brain synchronization: Review and perspectives in hyperscanning. *IRBM*, 32(1), 48–53.
- Dumas, G., Nadel, J., Soussignan, R., Martinerie, J., & Garnero, L. (2010). Inter-brain synchronization during social interaction. *PloS One*, 5(8), e12166.
- Ellingsen, D.-M., Isenburg, K., Jung, C., Lee, J., Gerber, J., Mawla, I., Sclocco, R., Jensen, K. B., Edwards, R. R., Kelley, J. M., Kirsch, I., Kaptchuk, T. J., & Napadow, V. (2020). Dynamic brain-to-brain concordance and behavioral mirroring as a mechanism of the patient-clinician interaction. *Science Advances*, 6(43). <https://doi.org/10.1126/sciadv.abc1304>
- Endevelt-Shapira, Y., Djalovski, A., Dumas, G., & Feldman, R. (2021). Maternal chemosignals enhance infant-adult brain-to-brain synchrony. *Science Advances*, 7(50), eabg6867.
- Evans, M. (2021, January 16). Autism: “They said bleach would cure my daughter.” *BBC*. <https://www.bbc.com/news/uk-wales-54691739>
- Falandays, J. B., Batzloff, B. J., Spevack, S. C., & Spivey, M. J. (2020). Interactionism in language: from neural networks to bodies to dyads. *Language, Cognition and Neuroscience*, 35(5), 543–558.
- Federmeier, K. D. (2007). Thinking ahead: the role and roots of prediction in language comprehension. *Psychophysiology*, 44(4), 491–505.
- Federmeier, K. D. (2022). Connecting and considering: Electrophysiology provides insights into comprehension. *Psychophysiology*, 59(1), e13940.
- Federmeier, K. D., Kutas, M., & Schul, R. (2010). Age-related and individual differences in the use of prediction during language comprehension. *Brain and Language*, 115(3), 149–161.
- Federmeier, K. D., McLennan, D. B., Ochoa, E., & Kutas, M. (2002). The impact of semantic memory organization and sentence context information on spoken language processing by younger and older adults: An ERP study. In *Psychophysiology* (Vol. 39, Issue 2, pp. 133–146). <https://doi.org/10.1111/1469-8986.3920133>
- Federmeier, K. D., Van Petten, C., Schwartz, T. J., & Kutas, M. (2003). Sounds, words, sentences: age-related changes across levels of language processing. *Psychology and Aging*, 18(4), 858–872.
- Fischer-Baum, S., Dickson, D. S., & Federmeier, K. D. (2014). Frequency and regularity effects in reading are task dependent: evidence from ERPs. *Language, Cognition and Neuroscience*, 29(10), 1342–1355.
- Garrod, S., & Pickering, M. J. (2015). The use of content and timing to predict turn transitions. *Frontiers in Psychology*, 6, 751.
- Giles, H. (1973). Accent Mobility: A Model and Some Data. *Anthropological Linguistics*, 15(2), 87–105.
- Giles, H., Coupland, N., & Coupland, I. (1991). 1. Accommodation theory: Communication, context, and. *Contexts of Accommodation: Developments in Applied Sociolinguistics*, 1.
- Giles, H., Giles, H., Coupland, J., Coupland, N., Oatley, K., Éditions de la Maison des sciences de l’homme, & Cambridge University Press. (1991). *Contexts of Accommodation: Developments in Applied Sociolinguistics*. Cambridge University Press.
- Giles, H., Mulac, A., Bradac, J. J., & Johnson, P. (1987). Speech Accommodation Theory: The First Decade and Beyond. *Annals of the International Communication Association*, 10(1), 13–48.
- Goldstein, P., Weissman-Fogel, I., Dumas, G., & Shamay-Tsoory, S. G. (2018a). Brain-to-brain coupling during handholding is associated with pain reduction. *Proceedings of the National Academy of Sciences of the United States of America*, 115(11), E2528–E2537.
- Goldstein, P., Weissman-Fogel, I., Dumas, G., & Shamay-Tsoory, S. G. (2018b). Brain-to-brain coupling during handholding is associated with pain reduction. *Proceedings of the National*

- Academy of Sciences of the United States of America*, 115(11), E2528–E2537.
- Gries, S. T. (2005). Syntactic priming: a corpus-based approach. *Journal of Psycholinguistic Research*, 34(4), 365–399.
- Gwilliams, L. (2020). *Towards a mechanistic account of speech comprehension in the human brain* [PhD]. New York University.
- Gwilliams, L., & King, J.-R. (2020). Recurrent processes support a cascade of hierarchical decisions. *eLife*, 9. <https://doi.org/10.7554/eLife.56603>
- Hahamy, A., Behrmann, M., & Malach, R. (2015). The idiosyncratic brain: distortion of spontaneous connectivity patterns in autism spectrum disorder. *Nature Neuroscience*, 18(2), 302–309.
- Hardy, S. M., Messenger, K., & Maylor, E. A. (2017). Aging and syntactic representations: Evidence of preserved syntactic priming and lexical boost. *Psychology and Aging*, 32(6), 588–596.
- Hari, R., Himberg, T., Nummenmaa, L., Hämäläinen, M., & Parkkonen, L. (2013). Synchrony of brains and bodies during implicit interpersonal interaction. *Trends in Cognitive Sciences*, 17(3), 105–106.
- Harnsberger, J. D., Shrivastav, R., Brown, W. S., Jr, Rothman, H., & Hollien, H. (2008). Speaking rate and fundamental frequency as speech cues to perceived age. *Journal of Voice: Official Journal of the Voice Foundation*, 22(1), 58–69.
- Hasson, U., Furman, O., Clark, D., Dudai, Y., & Davachi, L. (2008). Enhanced intersubject correlations during movie viewing correlate with successful episodic encoding. *Neuron*, 57(3), 452–462.
- Hasson, U., Ghazanfar, A. A., Galantucci, B., Garrod, S., & Keysers, C. (2012). Brain-to-brain coupling: a mechanism for creating and sharing a social world. *Trends in Cognitive Sciences*, 16(2), 114–121.
- Hasson, U., Nir, Y., Levy, I., Fuhrmann, G., & Malach, R. (2004). Intersubject synchronization of cortical activity during natural vision. *Science*, 303(5664), 1634–1640.
- Head, D., Buckner, R. L., Shimony, J. S., Williams, L. E., Akbudak, E., Conturo, T. E., McAvoy, M., Morris, J. C., & Snyder, A. Z. (2004). Differential vulnerability of anterior white matter in nondemented aging with minimal acceleration in dementia of the Alzheimer type: evidence from diffusion tensor imaging. *Cerebral Cortex*, 14(4), 410–423.
- Hickok, G., & Small, S. L. (2015). *Neurobiology of Language*. Academic Press.
- Hipp, J. F., Hawellek, D. J., Corbetta, M., Siegel, M., & Engel, A. K. (2012). Large-scale cortical correlation structure of spontaneous oscillatory activity. *Nature Neuroscience*, 15(6), 884–890.
- Holler, J., Kendrick, K. H., Casillas, M., & Levinson, S. C. (2015). Editorial: Turn-Taking in Human Communicative Interaction. *Frontiers in Psychology*, 6, 1919.
- Hubbard, R. J., & Federmeier, K. D. (2021). Representational Pattern Similarity of Electrical Brain Activity Reveals Rapid and Specific Prediction during Language Comprehension. *Cerebral Cortex*, 31(9), 4300–4313.
- Hubbard, R. J., Rommers, J., Jacobs, C. L., & Federmeier, K. D. (2019). Downstream Behavioral and Electrophysiological Consequences of Word Prediction on Recognition Memory. In *Frontiers in Human Neuroscience* (Vol. 13). <https://doi.org/10.3389/fnhum.2019.00291>
- Huetig, F., Singh, N., & Mishra, R. K. (2011). Language-mediated visual orienting behavior in low and high literates. *Frontiers in Psychology*, 2, 285.
- Hummert, M. L. (1994). Stereotypes of the elderly and patronizing speech. *Sage Focus Editions*, 173, 162–162.
- Huxhold, O., Fiori, K. L., & Windsor, T. D. (2013). The dynamic interplay of social network characteristics, subjective well-being, and health: the costs and benefits of socio-emotional selectivity. *Psychology and Aging*, 28(1), 3–16.
- Jones, R. M., Southerland, A., Hamo, A., Carberry, C., Bridges, C., Nay, S., Stubbs, E., Komarow, E., Washington, C., Rehg, J. M., Lord, C., & Rozga, A. (2017). Increased Eye Contact During Conversation Compared to Play in Children With Autism. *Journal of Autism and Developmental Disorders*, 47(3), 607–614.
- Jongman, S. R. (2021). The attentional demands of combining comprehension and production in

- conversation. *Psychology of Learning and Motivation*, 95.
- Jongman, S. R., & Federmeier, K. D. (2022). Age-related changes in the structure and dynamics of the semantic network. *Language, Cognition, and Neuroscience*.
- {Jongman, S. R., Xu, Y., & Federmeier, K. D. (n.d.). *Older adults show intraindividual variation in the use of predictive processing while reading*.
- Kemper, S., & Anagnopoulos, C. (1989). Language and Aging. *Annual Review of Applied Linguistics*, 10, 37–50.
- Kemper, S., Herman, R. E., & Lian, C. H. T. (2003). The costs of doing two things at once for young and older adults: talking while walking, finger tapping, and ignoring speech or noise. *Psychology and Aging*, 18(2), 181–192.
- Kemper, S., Hoffman, L., Schmalzried, R., Herman, R., & Kieweg, D. (2011). Tracking Talking: Dual Task Costs of Planning and Producing Speech for Young versus Older Adults. *Neuropsychology, Development, and Cognition. Section B, Aging, Neuropsychology and Cognition*, 18(3), 257–279.
- Kempler, D. (2005). *Neurocognitive Disorders in Aging*. SAGE.
- Ki, J. J., Kelly, S. P., & Parra, L. C. (2016). Attention Strongly Modulates Reliability of Neural Responses to Naturalistic Narrative Stimuli. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 36(10), 3092–3101.
- Kikas, E., Peets, K., Tropp, K., & Hinn, M. (2009). Associations between verbal reasoning, normative beliefs about aggression, and different forms of aggression. *Journal of Research on Adolescence: The Official Journal of the Society for Research on Adolescence*, 19(1), 137–149.
- Konvalinka, I., Bauer, M., Stahlhut, C., Hansen, L. K., Roepstorff, A., & Frith, C. D. (2014). Frontal alpha oscillations distinguish leaders from followers: multivariate decoding of mutually interacting brains. *NeuroImage*, 94, 79–88.
- Koole, S. L., Atzil-Slonim, D., Butler, E., Dikker, S., Tschacher, W., & Wilderjans, T. (2020). In sync with your shrink: Grounding psychotherapy in interpersonal synchrony. In *Applications of Social Psychology* (pp. 161–184). Routledge.
- Koole, S. L., & Tschacher, W. (2016). Synchrony in Psychotherapy: A Review and an Integrative Framework for the Therapeutic Alliance. *Frontiers in Psychology*, 7, 755.
- Kutas, M., & Iragui, V. (1998). The N400 in a semantic categorization task across 6 decades. In *Electroencephalography and Clinical Neurophysiology/Evoked Potentials Section* (Vol. 108, Issue 5, pp. 456–471). [https://doi.org/10.1016/s0168-5597\(98\)00023-9](https://doi.org/10.1016/s0168-5597(98)00023-9)
- Lakatos, P., Karmos, G., Mehta, A. D., Ulbert, I., & Schroeder, C. E. (2008). Entrainment of neuronal oscillations as a mechanism of attentional selection. *Science*, 320(5872), 110–113.
- Lau, E. F., Holcomb, P. J., & Kuperberg, G. R. (2013). Dissociating N400 Effects of Prediction from Association in Single-word Contexts. *Journal of Cognitive Neuroscience*, 25(3), 484–502.
- Lee, C.-L., & Federmeier, K. D. (2011). Differential age effects on lexical ambiguity resolution mechanisms. *Psychophysiology*, 48(7), 960–972.
- Lee, T.-H., Miernicki, M. E., & Telzer, E. H. (2017). Families that fire together smile together: Resting state connectome similarity and daily emotional synchrony in parent-child dyads. *NeuroImage*, 152, 31–37.
- Leong, V., Byrne, E., & Clackson, K. (2017). Speaker gaze increases information coupling between infant and adult brains. *Proceedings of the*.
- Levinson, S. C. (2016). Turn-taking in Human Communication--Origins and Implications for Language Processing. *Trends in Cognitive Sciences*, 20(1), 6–14.
- Levy, S. E., Frasso, R., Colantonio, S., Reed, H., Stein, G., Barg, F. K., Mandell, D. S., & Fiks, A. G. (2016). Shared Decision Making and Treatment Decisions for Young Children With Autism Spectrum Disorder. *Academic Pediatrics*, 16(6), 571–578.
- Lewis, A. G., Schoffelen, J.-M., Schriefers, H., & Bastiaansen, M. (2016). A Predictive Coding Perspective on Beta Oscillations during Sentence-Level Language Comprehension. *Frontiers in Human Neuroscience*, 10, 85.
- Light, L. L., & Burke, D. M. (1993). *Language, Memory, and Aging*. Cambridge University Press.
- Linville, S. E. (2001). *Vocal Aging*, Singular Thomson Learning. *Text: Unmediated*.

- Liu, Y., Piazza, E. A., Simony, E., Shewokis, P. A., Onaral, B., Hasson, U., & Ayaz, H. (2017). Measuring speaker-listener neural coupling with functional near infrared spectroscopy. *Scientific Reports*, 7, 43293.
- Long, Y., Chen, C., Wu, K., Zhou, S., Zhou, F., Zheng, L., Zhao, H., Zhai, Y., & Lu, C. (2021). Interpersonal Conflict Increases Interpersonal Neural Synchronization in Romantic Couples. *Cerebral Cortex*. <https://doi.org/10.1093/cercor/bhab413>
- Magrassi, L., Aromataris, G., Cabrini, A., Annovazzi-Lodi, V., & Moro, A. (2015). Sound representation in higher language areas during language generation. *Proceedings of the National Academy of Sciences of the United States of America*, 112(6), 1868–1873.
- Manning, B. L., Roberts, M. Y., Estabrook, R., Petitclerc, A., Burns, J. L., Briggs-Gowan, M., Wakschlag, L. S., & Norton, E. S. (2019). Relations Between Toddler Expressive Language and Temper Tantrums in a Community Sample. *Journal of Applied Developmental Psychology*, 65. <https://doi.org/10.1016/j.appdev.2019.101070>
- Martin, L. T., Schonlau, M., Haas, A., Derose, K. P., Rudd, R., Loucks, E. B., Rosenfeld, L., & Buka, S. L. (2011). Literacy skills and calculated 10-year risk of coronary heart disease. *Journal of General Internal Medicine*, 26(1), 45–50.
- Matusz, P. J., Dikker, S., Huth, A. G., & Perrodin, C. (2019). Are We Ready for Real-world Neuroscience? *Journal of Cognitive Neuroscience*, 1–12.
- McCluney, C. L., Durkee, M. I., Smith, R. E., Robotham, K. J., & Lee, S. S.-L. (2021). To be, or not to be...Black: The effects of racial codeswitching on perceived professionalism in the workplace. *Journal of Experimental Social Psychology*, 97, 104199.
- Menenti, L., Pickering, M. J., & Garrod, S. C. (2012). Toward a neural basis of interactive alignment in conversation. *Frontiers in Human Neuroscience*, 6, 185.
- Mesik, J., Ray, L., & Wojtczak, M. (2021). Effects of Age on Cortical Tracking of Word-Level Features of Continuous Competing Speech. *Frontiers in Neuroscience*, 15, 635126.
- Molinero, N., Lizarazu, M., Baldin, V., Pérez-Navarro, J., Lallier, M., & Ríos-López, P. (2021). Speech-brain phase coupling is enhanced in low contextual semantic predictability conditions. *Neuropsychologia*, 107830.
- Montague, P. R., Berns, G. S., Cohen, J. D., McClure, S. M., Pagnoni, G., Dhamala, M., Wiest, M. C., Karpov, I., King, R. D., Apple, N., & Fisher, R. E. (2002). Hyperscanning: simultaneous fMRI during linked social interactions. *NeuroImage*, 16(4), 1159–1164.
- Moreau, Q., & Dumas, G. (2021). Beyond “correlation vs. causation”: multi-brain neuroscience needs explanation. *Trends Cogn. Sci. Published Online March*, 19, 2021.
- Müller, V., Perdakis, D., Mende, M. A., & Lindenberger, U. (2021). Interacting brains coming in sync through their minds: an interbrain neurofeedback study. *Annals of the New York Academy of Sciences*, 1500(1), 48–68.
- Nastase, S. A., Liu, Y.-F., Hillman, H., Zadbood, A., Hasenfratz, L., Keshavarzian, N., Chen, J., Honey, C. J., Yeshurun, Y., Regev, M., Nguyen, M., Chang, C. H. C., Baldassano, C., Lositsky, O., Simony, E., Chow, M. A., Leong, Y. C., Brooks, P. P., Micciche, E., ... Hasson, U. (2021). Narratives: fMRI data for evaluating models of naturalistic language comprehension. In *bioRxiv* (p. 2020.12.23.424091). <https://doi.org/10.1101/2020.12.23.424091>
- National Academies of Sciences, Engineering, and Medicine, Division of Behavioral and Social Sciences and Education, Health and Medicine Division, Board on Behavioral, Cognitive, and Sensory Sciences, Board on Health Sciences Policy, & Committee on the Health and Medical Dimensions of Social Isolation and Loneliness in Older Adults. (2020). *Social Isolation and Loneliness in Older Adults: Opportunities for the Health Care System*. National Academies Press.
- Ng, S., Payne, B. R., Steen, A. A., Stine-Morrow, E. A. L., & Federmeier, K. D. (2017). Use of contextual information and prediction by struggling adult readers: Evidence from reading times and event-related potentials. *Scientific Studies of Reading: The Official Journal of the Society for the Scientific Study of Reading*, 21(5), 359–375.
- Ng, S., Payne, B. R., Stine-Morrow, E. A. L., & Federmeier, K. D. (2018). How struggling adult readers use contextual information when comprehending speech: Evidence from event-related potentials.

International Journal of Psychophysiology: Official Journal of the International Organization of Psychophysiology, 125, 1–9.

- Nguyen, T., Abney, D. H., Salamander, D., Bertenthal, B., & Hoehl, S. (2021). Social Touch is associated with Neural but not Physiological Synchrony in Naturalistic Mother-Infant Interactions. In *Cold Spring Harbor Laboratory* (p. 2021.01.21.427664). <https://doi.org/10.1101/2021.01.21.427664>
- Nguyen, T., Schleichauf, H., Kayhan, E., Matthes, D., Vrtička, P., & Hoehl, S. (2021). Neural synchrony in mother-child conversation: Exploring the role of conversation patterns. *Social Cognitive and Affective Neuroscience*, 16(1-2), 93–102.
- Nolte, G., Bai, O., Wheaton, L., Mari, Z., Vorbach, S., & Hallett, M. (2004). Identifying true brain interaction from EEG data using the imaginary part of coherency. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology*, 115(10), 2292–2307.
- Nozawa, T., Sasaki, Y., Sakaki, K., Yokoyama, R., & Kawashima, R. (2016). Interpersonal frontopolar neural synchronization in group communication: An exploration toward fNIRS hyperscanning of natural interactions. *NeuroImage*, 133, 484–497.
- Nummenmaa, L., Glerean, E., Viinikainen, M., Jääskeläinen, I. P., Hari, R., & Sams, M. (2012). Emotions promote social interaction by synchronizing brain activity across individuals. *Proceedings of the National Academy of Sciences of the United States of America*, 109(24), 9599–9604.
- Nutbeam, D. (2000). Health literacy as a public health goal: a challenge for contemporary health education and communication strategies into the 21st century. *Health Promotion International*, 15(3), 259–267.
- Pan, Y., & Cheng, X. (2020). Two-Person Approaches to Studying Social Interaction in Psychiatry: Uses and Clinical Relevance. *Frontiers in Psychiatry / Frontiers Research Foundation*, 11, 301.
- Pan, Y., Dikker, S., Goldstein, P., Zhu, Y., Yang, C., & Hu, Y. (2020). Instructor-learner brain coupling discriminates between instructional approaches and predicts learning. *NeuroImage*, 211, 116657.
- Parkinson, C., Kleinbaum, A. M., & Wheatley, T. (2018). Similar neural responses predict friendship. *Nature Communications*, 9(1), 332.
- Payne, B. R., & Federmeier, K. D. (2017). Pace yourself: Intraindividual variability in context use revealed by self-paced event-related brain potentials. *Journal of Cognitive Neuroscience*, 29(5), 837–854.
- Payne, B. R., & Federmeier, K. D. (2018). Contextual constraints on lexico-semantic processing in aging: Evidence from single-word event-related brain potentials. *Brain Research*, 1687, 117–128.
- Payne, B. R., & Silcox, J. W. (2019). Chapter Seven - Aging, context processing, and comprehension. In K. D. Federmeier (Ed.), *Psychology of Learning and Motivation* (Vol. 71, pp. 215–264). Academic Press.
- Pereira, N., Gonçalves, A. P. B., Goulart, M., Tarrasconi, M. A., Kochhann, R., & Fonseca, R. P. (2019). Age-related differences in conversational discourse abilities A comparative study. *Dementia & Neuropsychologia*, 13(1), 53–71.
- Pérez, A., Carreiras, M., & Duñabeitia, J. A. (2017). Brain-to-brain entrainment: EEG interbrain synchronization while speaking and listening. *Scientific Reports*, 7(1), 4190.
- Pérez, A., Dumas, G., Karadag, M., & Duñabeitia, J. A. (2018). Differential brain-to-brain entrainment while speaking and listening in native and foreign languages. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*. <https://doi.org/10.1016/j.cortex.2018.11.026>
- Petroni, A., Cohen, S. S., Ai, L., Langer, N., Henin, S., Vanderwal, T., Milham, M. P., & Parra, L. C. (2017). Age and sex modulate the variability of neural responses to naturalistic videos. In *bioRxiv* (p. 089060). <https://doi.org/10.1101/089060>
- Pickering, M. J., & Garrod, S. (2004). Toward a mechanistic psychology of dialogue. *The Behavioral and Brain Sciences*, 27(2), 169–190; discussion 190–226.
- Pickering, M. J., & Garrod, S. (2021). *Understanding Dialogue: Language Use and Social Interaction*. Cambridge University Press.
- Piopiunik, M., Schwerdt, G., Simon, L., & Woessmann, L. (2020). Skills, signals, and employability:

- An experimental investigation. *European Economic Review*, 123, 103374.
- Powers, S. R., Rauh, C., Henning, R. A., Buck, R. W., & West, T. V. (2011). The effect of video feedback delay on frustration and emotion communication accuracy. *Computers in Human Behavior*, 27(5), 1651–1657.
- Pylkkänen, L. (2019). The neural basis of combinatorial syntax and semantics. *Science*, 366(6461), 62–66.
- Ramseyer, F., & Tschacher, W. (2011). Nonverbal synchrony in psychotherapy: coordinated body movement reflects relationship quality and outcome. *Journal of Consulting and Clinical Psychology*, 79(3), 284–295.
- Ratzan, S., Schneider, E. C., Hatch, H., & Cacchione, J. (2021). Missing the Point - How Primary Care Can Overcome Covid-19 Vaccine “Hesitancy.” *The New England Journal of Medicine*, 384(25), e100.
- Reetzke, R., Gnanateja, G. N., & Chandrasekaran, B. (2020). Neural tracking of the speech envelope is differentially modulated by attention and language experience. *Brain and Language*, 213, 104891.
- Reinero, D. A., Dikker, S., & Van Bavel, J. J. (2021). Inter-brain synchrony in teams predicts collective performance. *Social Cognitive and Affective Neuroscience*, 16(1-2), 43–57.
- Rommers, J., Dickson, D. S., Norton, J. J. S., Wlotko, E. W., & Federmeier, K. D. (2017). Alpha and theta band dynamics related to sentential constraint and word expectancy. *Language, Cognition and Neuroscience*, 32(5), 576–589.
- Rommers, J., & Federmeier, K. D. (2018a). Predictability’s aftermath: Downstream consequences of word predictability as revealed by repetition effects. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*, 101, 16–30.
- Rommers, J., & Federmeier, K. D. (2018b). Lingering expectations: A pseudo-repetition effect for words previously expected but not presented. *NeuroImage*, 183, 263–272.
- Rosenfeld, L., Rudd, R., Emmons, K. M., Acevedo-García, D., Martin, L., & Buka, S. (2011). Beyond reading alone: the relationship between aural literacy and asthma management. *Patient Education and Counseling*, 82(1), 110–116.
- Ryan, E. B., Giles, H., Bartolucci, G., & Henwood, K. (1986). Psycholinguistic and social psychological components of communication by and with the elderly. *Language & Communication*, 6(1), 1–24.
- Salthouse, T. A. (1993). Effects of aging on verbal abilities: Examination of the psychometric literature. In L. L. Light (Ed.), *Language, memory, and aging*, (pp (Vol. 281, pp. 17–35). Cambridge University Press, xi.
- Samuelsson, C., Adolfsson, E., & Persson, H. (2013). The use and characteristics of elderspeak in Swedish geriatric institutions. *Clinical Linguistics & Phonetics*, 27(8), 616–631.
- Sänger, J., Lindenberger, U., & Müller, V. (2011). Interactive brains, social minds. *Communicative & Integrative Biology*, 4(6), 655–663.
- Schilbach, L., Timmermans, B., Reddy, V., Costall, A., Bente, G., Schlicht, T., & Vogeley, K. (2013). Toward a second-person neuroscience 1. *The Behavioral and Brain Sciences*, 36(4), 393–414.
- Sears, D. O. (1986). College sophomores in the laboratory: Influences of a narrow data base on social psychology’s view of human nature. *Journal of Personality and Social Psychology*, 51(3), 515–530.
- Sievers, B., Welker, C., Hasson, U., Kleinbaum, A. M., & Wheatley, T. (2020). *How consensus-building conversation changes our minds and aligns our brains*. <https://doi.org/10.31234/osf.io/562z7>
- Simony, E., Honey, C. J., Chen, J., Lositsky, O., Yeshurun, Y., Wiesel, A., & Hasson, U. (2016). Dynamic reconfiguration of the default mode network during narrative comprehension. *Nature Communications*, 7(1), 1–13.
- Skoog Waller, S., Eriksson, M., & Sörqvist, P. (2015). Can you hear my age? Influences of speech rate and speech spontaneity on estimation of speaker age. *Frontiers in Psychology*, 6, 978.
- Stephens, G. J., Silbert, L. J., & Hasson, U. (2010). Speaker–listener neural coupling underlies

- successful communication. *Proceedings of the National Academy of Sciences of the United States of America*, 107(32), 14425–14430.
- Stewart, M. A. (1995). Effective physician-patient communication and health outcomes: a review. *CMAJ: Canadian Medical Association Journal = Journal de l'Association Médicale Canadienne*, 152(9), 1423–1433.
- Stine-Morrow, E. A. L., Miller, L. M. S., & Hertzog, C. (2006). Aging and self-regulated language processing. *Psychological Bulletin*, 132(4), 582–606.
- Stites, M. C., Federmeier, K. D., & Stine-Morrow, E. A. L. (2013). Cross-age comparisons reveal multiple strategies for lexical ambiguity resolution during natural reading. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 39(6), 1823–1841.
- Sullivan, E. V., & Pfefferbaum, A. (2006). Diffusion tensor imaging and aging. *Neuroscience and Biobehavioral Reviews*, 30(6), 749–761.
- Szabo, I. (2019). Phonetic Selectivity in accommodation: the effect of chronological age. *Proceedings of the 19th International Congress of Phonetic Sciences, Canberra, Australia*, 3195–3199.
- Tian, X., & Poeppel, D. (2012). Mental imagery of speech: linking motor and perceptual systems through internal simulation and estimation. *Frontiers in Human Neuroscience*, 6, 314.
- Tognoli, E., Lagarde, J., DeGuzman, G. C., & Kelso, J. A. S. (2007). The phi complex as a neuromarker of human social coordination. *Proceedings of the National Academy of Sciences of the United States of America*, 104(19), 8190–8195.
- Tröndle, M., Popov, T., Pedroni, A., Pfeiffer, C., Barańczuk-Turska, Z., & Langer, N. (2021). Decomposing age effects in EEG alpha power. In *bioRxiv* (p. 2021.05.26.445765). <https://doi.org/10.1101/2021.05.26.445765>
- Van Berkum, J. J., Brown, C. M., Zwitserlood, P., Kooijman, V., & Hagoort, P. (2005). Anticipating upcoming words in discourse: evidence from ERPs and reading times. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 31(3), 443.
- Van Marum, R. J. (2020). Underrepresentation of the elderly in clinical trials, time for action. *British Journal of Clinical Pharmacology*, 86(10), 2014–2016.
- Vodrahalli, K., Chen, P.-H., Liang, Y., Baldassano, C., Chen, J., Yong, E., Honey, C., Hasson, U., Ramadge, P., Norman, K. A., & Arora, S. (2018). Mapping between fMRI responses to movies and their natural language annotations. *NeuroImage*, 180(Pt A), 223–231.
- Wang, L., Jensen, O., van den Brink, D., Weder, N., Schoffelen, J.-M., Magyari, L., Hagoort, P., & Bastiaansen, M. (2012). Beta oscillations relate to the N400m during language comprehension. *Human Brain Mapping*, 33(12), 2898–2912.
- Wang, Q., Han, Z., Hu, X., Feng, S., Wang, H., Liu, T., & Yi, L. (2020). Autism Symptoms Modulate Interpersonal Neural Synchronization in Children with Autism Spectrum Disorder in Cooperative Interactions. *Brain Topography*, 33(1), 112–122.
- Wass, S. V., Noreika, V., Georgieva, S., Clackson, K., Brightman, L., Nutbrown, R., Covarrubias, L. S., & Leong, V. (2018). Parental neural responsivity to infants' visual attention: How mature brains influence immature brains during social interaction. *PLoS Biology*, 16(12), e2006328.
- Williams, A., & Nussbaum, J. F. (2013). *Intergenerational communication across the life span*. Routledge.
- Williams, K. N., & Herman, R. E. (2011). Linking resident behavior to dementia care communication: effects of emotional tone. *Behavior Therapy*, 42(1), 42–46.
- Wilson, M., & Wilson, T. P. (2005). An oscillator model of the timing of turn-taking. *Psychonomic Bulletin & Review*, 12(6), 957–968.
- Wingfield, A., Peelle, J. E., & Grossman, M. (2003). Speech Rate and Syntactic Complexity as Multiplicative Factors in Speech Comprehension by Young and Older Adults. *Neuropsychology, Development, and Cognition. Section B, Aging, Neuropsychology and Cognition*, 10(4), 310–322.
- Wingfield, A., & Stine, E. L. (1986). Organizational strategies in immediate recall of rapid speech by young and elderly adults. In *Experimental Aging Research* (Vol. 12, Issue 2, pp. 79–83). <https://doi.org/10.1080/03610738608259440>
- Wingfield, A., & Stine-Morrow, E. A. L. (2000). Language and speech. *The Handbook of Aging and*

Cognition., 2nd Ed., 2, 359–416.

- Wlotko, E. W., & Federmeier, K. D. (2012). Age-related changes in the impact of contextual strength on multiple aspects of sentence comprehension. *Psychophysiology*, 49(6), 770–785.
- Wlotko, E. W., & Federmeier, K. D. (2015). Time for prediction? The effect of presentation rate on predictive sentence comprehension during word-by-word reading. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*, 68, 20–32.
- Wlotko, E. W., Federmeier, K. D., & Kutas, M. (2012). To predict or not to predict: age-related differences in the use of sentential context. *Psychology and Aging*, 27(4), 975–988.
- Wohltjen, S., & Wheatley, T. (2021). Eye contact marks the rise and fall of shared attention in conversation. *Proceedings of the National Academy of Sciences of the United States of America*, 118(37). <https://doi.org/10.1073/pnas.2106645118>
- Woodward, S. H., Ford, J. M., & Hammett, S. C. (1993). N4 to spoken sentences in young and older subjects. *Electroencephalography and Clinical Neurophysiology*, 87(5), 306–320.
- Wright, H. H., Koutsoftas, A. D., Capilouto, G. J., & Fergadiotis, G. (2014). Global coherence in younger and older adults: Influence of cognitive processes and discourse type. *Neuropsychology, Development, and Cognition. Section B, Aging, Neuropsychology and Cognition*, 21(2), 174–196.
- Zhaoyang, R., Sliwinski, M. J., Martire, L. M., & Smyth, J. M. (2018). Age differences in adults' daily social interactions: An ecological momentary assessment study. *Psychology and Aging*, 33(4), 607–618.
- Zion Golumbic, E. M., Ding, N., Bickel, S., Lakatos, P., Schevon, C. A., McKhann, G. M., Goodman, R. R., Emerson, R., Mehta, A. D., Simon, J. Z., Poeppel, D., & Schroeder, C. E. (2013). Mechanisms Underlying Selective Neuronal Tracking of Attended Speech at a “Cocktail Party.” *Neuron*, 77(5), 980–991.